

**Appendix A**

**Claim Amendments**

1. (Currently amended) A patch comprising a backing layer and an adhesive layer disposed on the backing layer and compounded with an adhesive agent and oxybutynin and/or a pharmaceutically acceptable salt thereof, wherein the adhesive layer comprises an acrylic polymer substantially free of both carboxyl group and hydroxyl group in the molecule and a rubber polymer, and weight ratio of content of the acrylic polymer to content of the rubber polymer is from 1:4 to 1:19.

2. (Previously presented) The patch according to claim 1, wherein the adhesive layer comprises 0.5-10% by weight of the acrylic polymer, 5-40% by weight of the rubber polymer and 10-60% by weight of an alicyclic saturated hydrocarbon resin-based tackifier, on the basis of the total amount of the compounds contained in the adhesive layer.

3. (Previously presented) The patch according to claim 2, wherein weight ratio of total content of the acrylic polymer and the rubber polymer to content of the tackifier is from 1:1 to 1:3.

4. (Previously presented) The patch according to claim 1, wherein the acrylic polymer is at least one kind selected from: copolymer of polyacrylate including at least one kind selected from 2-ethylhexyl acrylate, butyl acrylate, diacetone acrylamide and tetraethylene glycol dimethacrylate and polymethyl methacrylate; 2-ethylhexyl acrylate-N-vinyl-2-pyrrolidone-1,6-hexane glycol dimethacrylate terpolymer; aminoalkyl methacrylate copolymer E; and 2-ethylhexyl acrylate-vinyl acetate copolymer.

5. (Previously presented) The patch according to claim 1, wherein the rubber polymer is at least one kind selected from styrene-isoprene-styrene block copolymer, styrene-butadiene-styrene block copolymer, styrene-butadiene rubber, polyisobutylene, isoprene rubber and silicone rubber.

6. (Previously presented) The patch according to claim 1, wherein the rubber polymer is at least one kind selected from styrene-isoprene-styrene block copolymer and polyisobutylene.

7. (Previously presented) The patch according to claim 1, wherein the acrylic polymer is at least one kind selected from 2-ethylhexyl acrylate-N-vinyl-2-pyrrolidone-1,6-hexane glycol dimethacrylate terpolymer and 2-ethylhexyl acrylate-vinyl acetate copolymer, and the rubber polymer is styrene-isoprene-styrene block copolymer.

8. (Previously presented) The patch according to claim 1, wherein the adhesive layer is compounded with oxybutynin hydrochloride.

9. (Previously presented) The patch according to claim 1, wherein the adhesive agent further comprises an organic acid.

10. (Previously presented) The patch according to claim 9, wherein the organic acid is at least one kind selected from acetic acid, citric acid and salts of these acids.